Idaho Behavioral Health Plan Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description
F01.50	Vascular dementia without behavioral disturbance
F01.51	Vascular dementia with behavioral disturbance
F01.511	Vascular dementia, unspecified severity, with agitation
F01.518	Vascular dementia, unspecified severity, with other behavioral disturbance
F01.52	Vascular dementia, unspecified severity, with psychotic disturbance
F01.53	Vascular dementia, unspecified severity, with mood disturbance
F01.54	Vascular dementia, unspecified severity, with anxiety
F01.A11	Vascular dementia, mild, with agitation
F01.A18	Vascular dementia, mild, with other behavioral disturbance
F01.A2	Vascular dementia, mild, with psychotic disturbance
F01.A3	Vascular dementia, mild, with mood disturbance
F01.A4	Vascular dementia, mild, with anxiety
F01.B11	Vascular dementia, moderate, with agitation
F01.B18	Vascular dementia, moderate, with other behavioral disturbance
F01.B2	Vascular dementia, moderate, with psychotic disturbance
F01.B3	Vascular dementia, moderate, with mood disturbance
F01.B4	Vascular dementia, moderate, with anxiety
F01.C11	Vascular dementia, severe, with agitation
F01.C18	Vascular dementia, severe, with other behavioral disturbance
F01.C2	Vascular dementia, severe, with psychotic disturbance
F01.C3	Vascular dementia, severe, with mood disturbance
F01.C4	Vascular dementia, severe, with anxiety
F02.80	Dementia in oth diseases classd elswhr w/o behavrl disturb
F02.81	Dementia in oth diseases classd elswhr w behavioral disturb
F02.811	Dementia in other diseases classified elsewhere, unspecified severity, with agitation
F02.818	Dementia in other diseases classified elsewhere, unspecified severity, with other behavioral disturbance

Idaho Behavioral Health Plan		
	Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description	
F02.82	Dementia in other diseases classified elsewhere, unspecified severity, with psychotic disturbance	
F02.83	Dementia in other diseases classified elsewhere, unspecified severity, with mood disturbance	
F02.84	Dementia in other diseases classified elsewhere, unspecified severity, with anxiety	
F02.A11	Dementia in other diseases classified elsewhere, mild, with agitation	
F02.A18	Dementia in other diseases classified elsewhere, mild, with other behavioral disturbance	
F02.A2	Dementia in other diseases classified elsewhere, mild, with psychotic disturbance	
F02.A3	Dementia in other diseases classified elsewhere, mild, with mood disturbance	
F02.A4	Dementia in other diseases classified elsewhere, mild, with anxiety	
F02.B11	Dementia in other diseases classified elsewhere, moderate, with agitation	
F02.B18	Dementia in other diseases classified elsewhere, moderate, with other behavioral disturbance	
F02.B2	Dementia in other diseases classified elsewhere, moderate, with psychotic disturbance	
F02.B3	Dementia in other diseases classified elsewhere, moderate, with mood disturbance	
F02.B4	Dementia in other diseases classified elsewhere, moderate, with anxiety	
F02.C11	Dementia in other diseases classified elsewhere, severe, with agitation	
F02.C18	Dementia in other diseases classified elsewhere, severe, with other behavioral disturbance	
F02.C2	Dementia in other diseases classified elsewhere, severe, with psychotic disturbance	
F02.C3	Dementia in other diseases classified elsewhere, severe, with mood disturbance	
F02.C4	Dementia in other diseases classified elsewhere, severe, with anxiety	
F03.90	Unspecified dementia without behavioral disturbance	
F03.91	Unspecified dementia with behavioral disturbance	
F03.911	Unspecified dementia, unspecified severity, with agitation	
F03.918	Unspecified dementia, unspecified severity, with other behavioral disturbance	
F03.92	Unspecified dementia, unspecified severity, with psychotic disturbance	
F03.93	Unspecified dementia, unspecified severity, with mood disturbance	
F03.94	Unspecified dementia, unspecified severity, with anxiety	
F03.A11	Unspecified dementia, mild, with agitation	

	Idaho Behavioral Health Plan Diagnosis Codes Covered by Magellan Healthcare, Inc.
ICD Code	Description
F03.A18	Unspecified dementia, mild, with other behavioral disturbance
F03.A2	Unspecified dementia, mild, with psychotic disturbance
F03.A3	Unspecified dementia, mild, with mood disturbance
F03.A4	Unspecified dementia, mild, with anxiety
F03.B11	Unspecified dementia, moderate, with agitation
F03.B18	Unspecified dementia, moderate, with other behavioral disturbance
F03.B2	Unspecified dementia, moderate, with psychotic disturbance
F03.B3	Unspecified dementia, moderate, with mood disturbance
F03.B4	Unspecified dementia, moderate, with anxiety
F03.C11	Unspecified dementia, severe, with agitation
F03.C18	Unspecified dementia, severe, with other behavioral disturbance
F03.C2	Unspecified dementia, severe, with psychotic disturbance
F03.C3	Unspecified dementia, severe, with mood disturbance
F03.C4	Unspecified dementia, severe, with anxiety
F04	Amnestic disorder due to known physiological condition
F05	Delirium due to known physiological condition
F06.0	Psychotic disorder w hallucin due to known physiol condition
F06.1	Catatonic disorder due to known physiological condition
F06.2	Psychotic disorder w delusions due to known physiol cond
F06.30	Mood disorder due to known physiological condition, unsp
F06.31	Mood disorder due to known physiol cond w depressv features
F06.32	Mood disord d/t physiol cond w major depressive-like epsd
F06.33	Mood disorder due to known physiol cond w manic features
F06.34	Mood disorder due to known physiol cond w mixed features
F06.4	Anxiety disorder due to known physiological condition
F06.71	Mild neurocognitive disorder due to known physiological condition with behavioral disturbance

	Idaho Behavioral Health Plan
	Diagnosis Codes Covered by Magellan Healthcare, Inc.
ICD Code	Description
F06.8	Oth mental disorders due to known physiological condition
F07.0	Personality change due to known physiological condition
F07.81	Postconcussional syndrome
F07.89	Oth personality & behavrl disord due to known physiol cond
F07.9	Unsp personality & behavrl disord due to known physiol cond
F09	Unsp mental disorder due to known physiological condition
F10.10	Alcohol abuse, uncomplicated
F10.11	Alcohol abuse, in remission
F10.120	Alcohol abuse with intoxication, uncomplicated
F10.121	Alcohol abuse with intoxication delirium
F10.129	Alcohol abuse with intoxication, unspecified
F10.130	Alcohol abuse with withdrawal, uncomplicated
F10.131	Alcohol abuse with withdrawal delirium
F10.132	Alcohol abuse with withdrawal with perceptual disturbance
F10.139	Alcohol abuse with withdrawal, unspecified
F10.14	Alcohol abuse with alcohol-induced mood disorder
F10.150	Alcohol abuse w alcoh-induce psychotic disorder w delusions
F10.151	Alcohol abuse w alcoh-induce psychotic disorder w hallucin
F10.159	Alcohol abuse with alcohol-induced psychotic disorder, unsp
F10.180	Alcohol abuse with alcohol-induced anxiety disorder
F10.181	Alcohol abuse with alcohol-induced sexual dysfunction
F10.182	Alcohol abuse with alcohol-induced sleep disorder
F10.188	Alcohol abuse with other alcohol-induced disorder
F10.19	Alcohol abuse with unspecified alcohol-induced disorder
F10.20	Alcohol dependence, uncomplicated
F10.21	Alcohol dependence, in remission

	Idaho Behavioral Health Plan Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description	
F10.220	Alcohol dependence with intoxication, uncomplicated	
F10.221	Alcohol dependence with intoxication delirium	
F10.229	Alcohol dependence with intoxication, unspecified	
F10.230	Alcohol dependence with withdrawal, uncomplicated	
F10.231	Alcohol dependence with withdrawal delirium	
F10.232	Alcohol dependence w withdrawal with perceptual disturbance	
F10.239	Alcohol dependence with withdrawal, unspecified	
F10.24	Alcohol dependence with alcohol-induced mood disorder	
F10.250	Alcohol depend w alcoh-induce psychotic disorder w delusions	
F10.251	Alcohol depend w alcoh-induce psychotic disorder w hallucin	
F10.259	Alcohol dependence w alcoh-induce psychotic disorder, unsp	
F10.26	Alcohol depend w alcoh-induce persisting amnestic disorder	
F10.27	Alcohol dependence with alcohol-induced persisting dementia	
F10.280	Alcohol dependence with alcohol-induced anxiety disorder	
F10.281	Alcohol dependence with alcohol-induced sexual dysfunction	
F10.282	Alcohol dependence with alcohol-induced sleep disorder	
F10.288	Alcohol dependence with other alcohol-induced disorder	
F10.29	Alcohol dependence with unspecified alcohol-induced disorder	
F10.90	Alcohol use, unspecified, uncomplicated	
F10.91	Alcohol use, unspecified, in remission	
F10.920	Alcohol use, unspecified with intoxication, uncomplicated	
F10.921	Alcohol use, unspecified with intoxication delirium	
F10.929	Alcohol use, unspecified with intoxication, unspecified	
F10.930	Alcohol use, unspecified with withdrawal, uncomplicated	
F10.931	Alcohol use, unspecified with withdrawal delirium	
F10.932	Alcohol use, unspecified with w/drawal w perceptual disturb	

	Idaho Behavioral Health Plan	
	Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description	
F10.939	Alcohol use, unspecified with withdrawal, unspecified	
F10.94	Alcohol use, unspecified with alcohol-induced mood disorder	
F10.950	Alcohol use, unsp w alcoh-induce psych disorder w delusions	
F10.951	Alcohol use, unsp w alcoh-induce psych disorder w hallucin	
F10.959	Alcohol use, unsp w alcohol-induced psychotic disorder, unsp	
F10.96	Alcohol use, unsp w alcoh-induce persist amnestic disorder	
F10.97	Alcohol use, unsp with alcohol-induced persisting dementia	
F10.980	Alcohol use, unsp with alcohol-induced anxiety disorder	
F10.981	Alcohol use, unsp with alcohol-induced sexual dysfunction	
F10.982	Alcohol use, unspecified with alcohol-induced sleep disorder	
F10.988	Alcohol use, unspecified with other alcohol-induced disorder	
F10.99	Alcohol use, unsp with unspecified alcohol-induced disorder	
F11.10	Opioid abuse, uncomplicated	
F11.11	Opioid abuse, in remission	
F11.120	Opioid abuse with intoxication, uncomplicated	
F11.121	Opioid abuse with intoxication delirium	
F11.122	Opioid abuse with intoxication with perceptual disturbance	
F11.129	Opioid abuse with intoxication, unspecified	
F11.13	Opioid abuse with withdrawal	
F11.14	Opioid abuse with opioid-induced mood disorder	
F11.150	Opioid abuse w opioid-induced psychotic disorder w delusions	
F11.151	Opioid abuse w opioid-induced psychotic disorder w hallucin	
F11.159	Opioid abuse with opioid-induced psychotic disorder, unsp	
F11.181	Opioid abuse with opioid-induced sexual dysfunction	
F11.182	Opioid abuse with opioid-induced sleep disorder	
F11.188	Opioid abuse with other opioid-induced disorder	

	Idaho Behavioral Health Plan
	Diagnosis Codes Covered by Magellan Healthcare, Inc.
ICD Code	Description
F11.19	Opioid abuse with unspecified opioid-induced disorder
F11.20	Opioid dependence, uncomplicated
F11.21	Opioid dependence, in remission
F11.220	Opioid dependence with intoxication, uncomplicated
F11.221	Opioid dependence with intoxication delirium
F11.222	Opioid dependence w intoxication with perceptual disturbance
F11.229	Opioid dependence with intoxication, unspecified
F11.23	Opioid dependence with withdrawal
F11.24	Opioid dependence with opioid-induced mood disorder
F11.250	Opioid depend w opioid-induc psychotic disorder w delusions
F11.251	Opioid depend w opioid-induc psychotic disorder w hallucin
F11.259	Opioid dependence w opioid-induced psychotic disorder, unsp
F11.281	Opioid dependence with opioid-induced sexual dysfunction
F11.282	Opioid dependence with opioid-induced sleep disorder
F11.288	Opioid dependence with other opioid-induced disorder
F11.29	Opioid dependence with unspecified opioid-induced disorder
F11.90	Opioid use, unspecified, uncomplicated
F11.91	Opioid use, unspecified, in remission
F11.920	Opioid use, unspecified with intoxication, uncomplicated
F11.921	Opioid use, unspecified with intoxication delirium
F11.922	Opioid use, unsp w intoxication with perceptual disturbance
F11.929	Opioid use, unspecified with intoxication, unspecified
F11.93	Opioid use, unspecified with withdrawal
F11.94	Opioid use, unspecified with opioid-induced mood disorder
F11.950	Opioid use, unsp w opioid-induc psych disorder w delusions
F11.951	Opioid use, unsp w opioid-induc psych disorder w hallucin

	Idaho Behavioral Health Plan	
	Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description	
F11.959	Opioid use, unsp w opioid-induced psychotic disorder, unsp	
F11.981	Opioid use, unsp with opioid-induced sexual dysfunction	
F11.982	Opioid use, unspecified with opioid-induced sleep disorder	
F11.988	Opioid use, unspecified with other opioid-induced disorder	
F11.99	Opioid use, unsp with unspecified opioid-induced disorder	
F12.10	Cannabis abuse, uncomplicated	
F12.11	Cannabis abuse, in remission	
F12.120	Cannabis abuse with intoxication, uncomplicated	
F12.121	Cannabis abuse with intoxication delirium	
F12.122	Cannabis abuse with intoxication with perceptual disturbance	
F12.129	Cannabis abuse with intoxication, unspecified	
F12.13	Cannabis abuse with withdrawal	
F12.150	Cannabis abuse with psychotic disorder with delusions	
F12.151	Cannabis abuse with psychotic disorder with hallucinations	
F12.159	Cannabis abuse with psychotic disorder, unspecified	
F12.180	Cannabis abuse with cannabis-induced anxiety disorder	
F12.188	Cannabis abuse with other cannabis-induced disorder	
F12.19	Cannabis abuse with unspecified cannabis-induced disorder	
F12.20	Cannabis dependence, uncomplicated	
F12.21	Cannabis dependence, in remission	
F12.220	Cannabis dependence with intoxication, uncomplicated	
F12.221	Cannabis dependence with intoxication delirium	
F12.222	Cannabis dependence w intoxication w perceptual disturbance	
F12.229	Cannabis dependence with intoxication, unspecified	
F12.23	Cannabis dependence with withdrawal	
F12.250	Cannabis dependence with psychotic disorder with delusions	

Idaho Behavioral Health Plan	
	Diagnosis Codes Covered by Magellan Healthcare, Inc.
ICD Code	Description
F12.251	Cannabis dependence w psychotic disorder with hallucinations
F12.259	Cannabis dependence with psychotic disorder, unspecified
F12.280	Cannabis dependence with cannabis-induced anxiety disorder
F12.288	Cannabis dependence with other cannabis-induced disorder
F12.29	Cannabis dependence with unsp cannabis-induced disorder
F12.90	Cannabis use, unspecified, uncomplicated
F12.91	Cannabis use, unspecified, in remission
F12.920	Cannabis use, unspecified with intoxication, uncomplicated
F12.921	Cannabis use, unspecified with intoxication delirium
F12.922	Cannabis use, unsp w intoxication w perceptual disturbance
F12.929	Cannabis use, unspecified with intoxication, unspecified
F12.93	Cannabis use, unspecified with withdrawal
F12.950	Cannabis use, unsp with psychotic disorder with delusions
F12.951	Cannabis use, unsp w psychotic disorder with hallucinations
F12.959	Cannabis use, unsp with psychotic disorder, unspecified
F12.980	Cannabis use, unspecified with anxiety disorder
F12.988	Cannabis use, unsp with other cannabis-induced disorder
F12.99	Cannabis use, unsp with unsp cannabis-induced disorder
F13.10	Sedative, hypnotic or anxiolytic abuse, uncomplicated
F13.11	Sedative, hypnotic or anxiolytic abuse, in remission
F13.120	Sedatv/hyp/anxiolytc abuse w intoxication, uncomplicated
F13.121	Sedatv/hyp/anxiolytc abuse w intoxication delirium
F13.129	Sedative, hypnotic or anxiolytic abuse w intoxication, unsp
F13.130	Sedatv/hyp/anxiolytc abuse with withdrawal, uncomplicated
F13.131	Sedatv/hyp/anxiolytc abuse with withdrawal delirium
F13.132	Sedatv/hyp/anxiolytc abuse with w/drawal w perceptl disturb

	Idaho Behavioral Health Plan	
	Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description	
F13.139	Sedatv/hyp/anxiolytc abuse with withdrawal, unspecified	
F13.14	Sedative, hypnotic or anxiolytic abuse w mood disorder	
F13.150	Sedatv/hyp/anxiolytc abuse w psychotic disorder w delusions	
F13.151	Sedatv/hyp/anxiolytc abuse w psychotic disorder w hallucin	
F13.159	Sedatv/hyp/anxiolytc abuse w psychotic disorder, unsp	
F13.180	Sedative, hypnotic or anxiolytic abuse w anxiety disorder	
F13.181	Sedative, hypnotic or anxiolytic abuse w sexual dysfunction	
F13.182	Sedative, hypnotic or anxiolytic abuse w sleep disorder	
F13.188	Sedative, hypnotic or anxiolytic abuse w oth disorder	
F13.19	Sedative, hypnotic or anxiolytic abuse w unsp disorder	
F13.20	Sedative, hypnotic or anxiolytic dependence, uncomplicated	
F13.21	Sedative, hypnotic or anxiolytic dependence, in remission	
F13.220	Sedatv/hyp/anxiolytc dependence w intoxication, uncomp	
F13.221	Sedatv/hyp/anxiolytc dependence w intoxication delirium	
F13.229	Sedatv/hyp/anxiolytc dependence w intoxication, unsp	
F13.230	Sedatv/hyp/anxiolytc dependence w withdrawal, uncomplicated	
F13.231	Sedatv/hyp/anxiolytc dependence w withdrawal delirium	
F13.232	Sedatv/hyp/anxiolytc depend w w/drawal w perceptual disturb	
F13.239	Sedatv/hyp/anxiolytc dependence w withdrawal, unsp	
F13.24	Sedative, hypnotic or anxiolytic dependence w mood disorder	
F13.250	Sedatv/hyp/anxiolytc depend w psychotic disorder w delusions	
F13.251	Sedatv/hyp/anxiolytc depend w psychotic disorder w hallucin	
F13.259	Sedatv/hyp/anxiolytc dependence w psychotic disorder, unsp	
F13.26	Sedatv/hyp/anxiolytc depend w persisting amnestic disorder	
F13.27	Sedatv/hyp/anxiolytc dependence w persisting dementia	
F13.280	Sedatv/hyp/anxiolytc dependence w anxiety disorder	

	Idaho Behavioral Health Plan	
	Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description	
F13.281	Sedatv/hyp/anxiolytc dependence w sexual dysfunction	
F13.282	Sedative, hypnotic or anxiolytic dependence w sleep disorder	
F13.288	Sedative, hypnotic or anxiolytic dependence w oth disorder	
F13.29	Sedative, hypnotic or anxiolytic dependence w unsp disorder	
F13.90	Sedative, hypnotic, or anxiolytic use, unsp, uncomplicated	
F13.91	Sedative, hypnotic or anxiolytic use, unspecified, in remission	
F13.920	Sedatv/hyp/anxiolytc use, unsp w intoxication, uncomplicated	
F13.921	Sedatv/hyp/anxiolytc use, unsp w intoxication delirium	
F13.929	Sedatv/hyp/anxiolytc use, unsp w intoxication, unsp	
F13.930	Sedatv/hyp/anxiolytc use, unsp w withdrawal, uncomplicated	
F13.931	Sedatv/hyp/anxiolytc use, unsp w withdrawal delirium	
F13.932	Sedatv/hyp/anxiolytc use, unsp w w/drawal w perceptl disturb	
F13.939	Sedatv/hyp/anxiolytc use, unsp w withdrawal, unsp	
F13.94	Sedative, hypnotic or anxiolytic use, unsp w mood disorder	
F13.950	Sedatv/hyp/anxiolytc use, unsp w psych disorder w delusions	
F13.951	Sedatv/hyp/anxiolytc use, unsp w psych disorder w hallucin	
F13.959	Sedatv/hyp/anxiolytc use, unsp w psychotic disorder, unsp	
F13.96	Sedatv/hyp/anxiolytc use, unsp w persist amnestic disorder	
F13.97	Sedatv/hyp/anxiolytc use, unsp w persisting dementia	
F13.980	Sedatv/hyp/anxiolytc use, unsp w anxiety disorder	
F13.981	Sedatv/hyp/anxiolytc use, unsp w sexual dysfunction	
F13.982	Sedative, hypnotic or anxiolytic use, unsp w sleep disorder	
F13.988	Sedative, hypnotic or anxiolytic use, unsp w oth disorder	
F13.99	Sedative, hypnotic or anxiolytic use, unsp w unsp disorder	
F14.10	Cocaine abuse, uncomplicated	
F14.11	Cocaine abuse, in remission	

	Idaho Behavioral Health Plan Diagnosis Codes Covered by Magellan Healthcare, Inc.
ICD Code	Description
F14.120	Cocaine abuse with intoxication, uncomplicated
F14.121	Cocaine abuse with intoxication with delirium
F14.122	Cocaine abuse with intoxication with perceptual disturbance
F14.129	Cocaine abuse with intoxication, unspecified
F14.13	Cocaine abuse, unspecified with withdrawal
F14.14	Cocaine abuse with cocaine-induced mood disorde
F14.150	Cocaine abuse w cocaine-induc psychotic disorder w delusions
F14.151	Cocaine abuse with cocaine-induced psychotic disorder with hallucinations
F14.159	Cocaine abuse with cocaine-induced psychotic disorder, unsp
F14.180	Cocaine abuse with cocaine-induced anxiety disorder
F14.181	Cocaine abuse with cocaine-induced sexual dysfunction
F14.182	Cocaine abuse with cocaine-induced sleep disorder
F14.188	Cocaine abuse with other cocaine-induced disorder
F14.19	Cocaine abuse with unspecified cocaine-induced disorder
F14.20	Cocaine dependence, uncomplicated
F14.21	Cocaine dependence, in remission
F14.220	Cocaine dependence with intoxication, uncomplicated
F14.221	Cocaine dependence with intoxication delirium
F14.222	Cocaine dependence w intoxication w perceptual disturbance
F14.229	Cocaine dependence with intoxication, unspecified
F14.23	Cocaine dependence with withdrawal
F14.24	Cocaine dependence with cocaine-induced mood disorder
F14.250	Cocaine depend w cocaine-induc psych disorder w delusions
F14.251	Cocaine depend w cocaine-induc psychotic disorder w hallucin
F14.259	Cocaine dependence w cocaine-induc psychotic disorder, unsp
F14.280	Cocaine dependence with cocaine-induced anxiety disorder

Idaho Behavioral Health Plan Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description
F14.281	Cocaine dependence with cocaine-induced sexual dysfunction
F14.282	Cocaine dependence with cocaine-induced sleep disorder
F14.288	Cocaine dependence with other cocaine-induced disorder
F14.29	Cocaine dependence with unspecified cocaine-induced disorder
F14.90	Cocaine use, unspecified, uncomplicated
F14.91	Cocaine use, unspecified, in remission
F14.920	Cocaine use, unspecified with intoxication, uncomplicated
F14.921	Cocaine use, unspecified with intoxication delirium
F14.922	Cocaine use, unsp w intoxication with perceptual disturbance
F14.929	Cocaine use, unspecified with intoxication, unspecified
F14.93	Cocaine use, unspecified with withdrawal
F14.94	Cocaine use, unspecified with cocaine-induced mood disorder
F14.950	Cocaine use, unsp w cocaine-induc psych disorder w delusions
F14.951	Cocaine use, unsp w cocaine-induc psych disorder w hallucin
F14.959	Cocaine use, unsp w cocaine-induced psychotic disorder, unsp
F14.980	Cocaine use, unsp with cocaine-induced anxiety disorder
F14.981	Cocaine use, unsp with cocaine-induced sexual dysfunction
F14.982	Cocaine use, unspecified with cocaine-induced sleep disorder
F14.988	Cocaine use, unspecified with other cocaine-induced disorder
F14.99	Cocaine use, unsp with unspecified cocaine-induced disorder
F15.10	Other stimulant abuse, uncomplicated
F15.11	Other stimulant abuse, in remission
F15.120	Other stimulant abuse with intoxication, uncomplicated
F15.121	Other stimulant abuse with intoxication delirium
F15.122	Oth stimulant abuse w intoxication w perceptual disturbance
F15.129	Other stimulant abuse with intoxication, unspecified

Idaho Behavioral Health Plan	
ICD	Diagnosis Codes Covered by Magellan Healthcare, Inc.
Code	Description
F15.13	Other stimulant abuse with withdrawal
F15.14	Other stimulant abuse with stimulant-induced mood disorder
F15.150	Oth stimulant abuse w stim-induce psych disorder w delusions
F15.151	Oth stimulant abuse w stim-induce psych disorder w hallucin
F15.159	Oth stimulant abuse w stim-induce psychotic disorder, unsp
F15.180	Oth stimulant abuse with stimulant-induced anxiety disorder
F15.181	Oth stimulant abuse w stimulant-induced sexual dysfunction
F15.182	Other stimulant abuse with stimulant-induced sleep disorder
F15.188	Other stimulant abuse with other stimulant-induced disorder
F15.19	Other stimulant abuse with unsp stimulant-induced disorder
F15.20	Other stimulant dependence, uncomplicated
F15.21	Other stimulant dependence, in remission
F15.220	Other stimulant dependence with intoxication, uncomplicated
F15.221	Other stimulant dependence with intoxication delirium
F15.222	Oth stimulant dependence w intox w perceptual disturbance
F15.229	Other stimulant dependence with intoxication, unspecified
F15.23	Other stimulant dependence with withdrawal
F15.24	Oth stimulant dependence w stimulant-induced mood disorder
F15.250	Oth stim depend w stim-induce psych disorder w delusions
F15.251	Oth stimulant depend w stim-induce psych disorder w hallucin
F15.259	Oth stimulant depend w stim-induce psychotic disorder, unsp
F15.280	Oth stimulant dependence w stim-induce anxiety disorder
F15.281	Oth stimulant dependence w stim-induce sexual dysfunction
F15.282	Oth stimulant dependence w stimulant-induced sleep disorder
F15.288	Oth stimulant dependence with oth stimulant-induced disorder
F15.29	Oth stimulant dependence w unsp stimulant-induced disorder

Idaho Behavioral Health Plan Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description
F15.90	Other stimulant use, unspecified, uncomplicated
F15.91	Other stimulant use, unspecified, in remission
F15.920	Other stimulant use, unsp with intoxication, uncomplicated
F15.921	Other stimulant use, unspecified with intoxication delirium
F15.922	Oth stimulant use, unsp w intox w perceptual disturbance
F15.929	Other stimulant use, unsp with intoxication, unspecified
F15.93	Other stimulant use, unspecified with withdrawal
F15.94	Oth stimulant use, unsp with stimulant-induced mood disorder
F15.950	Oth stim use, unsp w stim-induce psych disorder w delusions
F15.951	Oth stim use, unsp w stim-induce psych disorder w hallucin
F15.959	Oth stimulant use, unsp w stim-induce psych disorder, unsp
F15.980	Oth stimulant use, unsp w stimulant-induced anxiety disorder
F15.981	Oth stimulant use, unsp w stim-induce sexual dysfunction
F15.982	Oth stimulant use, unsp w stimulant-induced sleep disorder
F15.988	Oth stimulant use, unsp with oth stimulant-induced disorder
F15.99	Oth stimulant use, unsp with unsp stimulant-induced disorder
F16.10	Hallucinogen abuse, uncomplicated
F16.11	Hallucinogen abuse, in remission
F16.120	Hallucinogen abuse with intoxication, uncomplicated
F16.121	Hallucinogen abuse with intoxication with delirium
F16.122	Hallucinogen abuse w intoxication w perceptual disturbance
F16.129	Hallucinogen abuse with intoxication, unspecified
F16.14	Hallucinogen abuse with hallucinogen-induced mood disorder
F16.150	Hallucinogen abuse w psychotic disorder w delusions
F16.151	Hallucinogen abuse w psychotic disorder w hallucinations
F16.159	Hallucinogen abuse w psychotic disorder, unsp

	Idaho Behavioral Health Plan Diagnosis Codes Covered by Magellan Healthcare, Inc.
ICD Code	Description
F16.180	Hallucinogen abuse w hallucinogen-induced anxiety disorder
F16.183	Hallucign abuse w hallucign persisting perception disorder
F16.188	Hallucinogen abuse with other hallucinogen-induced disorder
F16.19	Hallucinogen abuse with unsp hallucinogen-induced disorder
F16.20	Hallucinogen dependence, uncomplicated
F16.21	Hallucinogen dependence, in remission
F16.220	Hallucinogen dependence with intoxication, uncomplicated
F16.221	Hallucinogen dependence with intoxication with delirium
F16.229	Hallucinogen dependence with intoxication, unspecified
F16.24	Hallucinogen dependence w hallucinogen-induced mood disorder
F16.250	Hallucinogen dependence w psychotic disorder w delusions
F16.251	Hallucinogen dependence w psychotic disorder w hallucin
F16.259	Hallucinogen dependence w psychotic disorder, unsp
F16.280	Hallucinogen dependence w anxiety disorder
F16.283	Hallucign depend w hallucign persisting perception disorder
F16.288	Hallucinogen dependence w oth hallucinogen-induced disorder
F16.29	Hallucinogen dependence w unsp hallucinogen-induced disorder
F16.90	Hallucinogen use, unspecified, uncomplicated
F16.91	Hallucinogen use, unspecified, in remission
F16.920	Hallucinogen use, unsp with intoxication, uncomplicated
F16.921	Hallucinogen use, unsp with intoxication with delirium
F16.929	Hallucinogen use, unspecified with intoxication, unspecified
F16.94	Hallucinogen use, unsp w hallucinogen-induced mood disorder
F16.950	Hallucinogen use, unsp w psychotic disorder w delusions
F16.951	Hallucinogen use, unsp w psychotic disorder w hallucinations
F16.959	Hallucinogen use, unsp w psychotic disorder, unsp

Idaho Behavioral Health Plan	
	Diagnosis Codes Covered by Magellan Healthcare, Inc.
ICD Code	Description
F16.980	Hallucinogen use, unsp w anxiety disorder
F16.983	Hallucign use, unsp w hallucign persist perception disorder
F16.988	Hallucinogen use, unsp w oth hallucinogen-induced disorder
F16.99	Hallucinogen use, unsp w unsp hallucinogen-induced disorder
F17.200	Nicotine dependence, unspecified, uncomplicated
F17.201	Nicotine dependence, unspecified, in remission
F17.203	Nicotine dependence unspecified, with withdrawal
F17.208	Nicotine dependence, unsp, w oth nicotine-induced disorders
F17.209	Nicotine dependence, unsp, w unsp nicotine-induced disorders
F17.210	Nicotine dependence, cigarettes, uncomplicated
F17.211	Nicotine dependence, cigarettes, in remission
F17.213	Nicotine dependence, cigarettes, with withdrawal
F17.218	Nicotine dependence, cigarettes, w oth disorders
F17.219	Nicotine dependence, cigarettes, w unsp disorder
F17.220	Nicotine dependence, chewing tobacco, uncomplicated
F17.221	Nicotine dependence, chewing tobacco, in remission
F17.223	Nicotine dependence, chewing tobacco, with withdrawal
F17.228	Nicotine dependence, chewing tobacco, w oth disorders
F17.229	Nicotine dependence, chewing tobacco, w unsp disorders
F17.290	Nicotine dependence, other tobacco product, uncomplicated
F17.291	Nicotine dependence, other tobacco product, in remission
F17.293	Nicotine dependence, other tobacco product, with withdrawal
F17.298	Nicotine dependence, oth tobacco product, w oth disorders
F17.299	Nicotine dependence, oth tobacco product, w unsp disorders
F18.10	Inhalant abuse, uncomplicated
F18.11	Inhalant abuse, in remission

Idaho Behavioral Health Plan Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description
F18.120	Inhalant abuse with intoxication, uncomplicated
F18.121	Inhalant abuse with intoxication delirium
F18.129	Inhalant abuse with intoxication, unspecified
F18.14	Inhalant abuse with inhalant-induced mood disorder
F18.150	Inhalant abuse w inhalnt-induce psych disorder w delusions
F18.151	Inhalant abuse w inhalnt-induce psych disorder w hallucin
F18.159	Inhalant abuse w inhalant-induced psychotic disorder, unsp
F18.17	Inhalant abuse with inhalant-induced dementia
F18.180	Inhalant abuse with inhalant-induced anxiety disorder
F18.188	Inhalant abuse with other inhalant-induced disorder
F18.19	Inhalant abuse with unspecified inhalant-induced disorder
F18.20	Inhalant dependence, uncomplicated
F18.21	Inhalant dependence, in remission
F18.220	Inhalant dependence with intoxication, uncomplicated
F18.221	Inhalant dependence with intoxication delirium
F18.229	Inhalant dependence with intoxication, unspecified
F18.24	Inhalant dependence with inhalant-induced mood disorder
F18.250	Inhalant depend w inhalnt-induce psych disorder w delusions
F18.251	Inhalant depend w inhalnt-induce psych disorder w hallucin
F18.259	Inhalant depend w inhalnt-induce psychotic disorder, unsp
F18.27	Inhalant dependence with inhalant-induced dementia
F18.280	Inhalant dependence with inhalant-induced anxiety disorder
F18.288	Inhalant dependence with other inhalant-induced disorder
F18.29	Inhalant dependence with unsp inhalant-induced disorder
F18.90	Inhalant use, unspecified, uncomplicated
F18.91	Inhalant use, unspecified, in remission

Idaho Behavioral Health Plan		
	Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description	
F18.920	Inhalant use, unspecified with intoxication, uncomplicated	
F18.921	Inhalant use, unspecified with intoxication with delirium	
F18.929	Inhalant use, unspecified with intoxication, unspecified	
F18.94	Inhalant use, unsp with inhalant-induced mood disorder	
F18.950	Inhalant use, unsp w inhalnt-induce psych disord w delusions	
F18.951	Inhalant use, unsp w inhalnt-induce psych disord w hallucin	
F18.959	Inhalant use, unsp w inhalnt-induce psychotic disorder, unsp	
F18.97	Inhalant use, unsp with inhalant-induced persisting dementia	
F18.980	Inhalant use, unsp with inhalant-induced anxiety disorder	
F18.988	Inhalant use, unsp with other inhalant-induced disorder	
F18.99	Inhalant use, unsp with unsp inhalant-induced disorder	
F19.10	Other psychoactive substance abuse, uncomplicated	
F19.11	Other psychoactive substance abuse, in remission	
F19.120	Oth psychoactive substance abuse w intoxication, uncomp	
F19.121	Oth psychoactive substance abuse with intoxication delirium	
F19.122	Oth psychoactv substance abuse w intox w perceptual disturb	
F19.129	Other psychoactive substance abuse with intoxication, unsp	
F19.130	Other psychoactive substance abuse with withdrawal, uncomp	
F19.131	Other psychoactive substance abuse with withdrawal delirium	
F19.132	Other psychoactv sub abuse with w/drawal w perceptl disturb	
F19.139	Other psychoactv substance abuse with withdrawal, unsp	
F19.14	Oth psychoactive substance abuse w mood disorder	
F19.150	Oth psychoactv substance abuse w psych disorder w delusions	
F19.151	Oth psychoactv substance abuse w psych disorder w hallucin	
F19.159	Oth psychoactive substance abuse w psychotic disorder, unsp	
F19.16	Oth psychoactv substance abuse w persist amnestic disorder	

	Idaho Behavioral Health Plan Diagnosis Codes Covered by Magellan Healthcare, Inc.
ICD Code	Description
F19.17	Oth psychoactive substance abuse w persisting dementia
F19.180	Oth psychoactive substance abuse w anxiety disorder
F19.181	Oth psychoactive substance abuse w sexual dysfunction
F19.182	Oth psychoactive substance abuse w sleep disorder
F19.188	Oth psychoactive substance abuse w oth disorder
F19.19	Oth psychoactive substance abuse w unsp disorder
F19.20	Other psychoactive substance dependence, uncomplicated
F19.21	Other psychoactive substance dependence, in remission
F19.220	Other psychoactive substance dependence with intoxication, uncomplicated
F19.221	Other psychoactive substance dependence with intoxication delirium
F19.222	Other psychoactive substance dependence with intoxication with perceptual di
F19.229	Other psychoactive substance dependence with intoxication, unspecified
F19.230	Other psychoactive substance dependence with withdrawal, uncomplicated
F19.231	Other psychoactive substance dependence with withdrawal delirium
F19.232	Other psychoactive substance dependence with withdrawal with perceptual dis
F19.232	Oth psychoactv sub depend w w/drawal w perceptl disturb
F19.239	Other psychoactive substance dependence with withdrawal, unspecified
F19.24	Oth psychoactive substance dependence w mood disorder
F19.250	Oth psychoactv substance depend w psych disorder w delusions
F19.250	Oth psychoactv substance depend w psych disorder w hallucin
F19.251	Oth psychoactv substance depend w psychotic disorder, unsp
F19.26	Other psychoactive substance dependence with psychoactive substance-induce
F19.27	Other psychoactive substance dependence with psychoactive substance-induce
F19.280	Other psychoactive substance dependence with psychoactive substance-induce
F19.281	Other psychoactive substance dependence with psychoactive substance-induce
F19.282	Other psychoactive substance dependence with psychoactive substance-induce

Idaho Behavioral Health Plan		
	Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description	
F19.288	Other psychoactive substance dependence with other psychoactive substance-	
F19.29	Other psychoactive substance dependence with unspecified psychoactive subst	
F19.90	Other psychoactive substance use, unspecified, uncomplicated	
F19.91	Other psychoactive substance use, unspecified, in remission	
F19.920	Other psychoactive substance use, unspecified with intoxication, uncomplicate	
F19.921	Other psychoactive substance use, unspecified with intoxication with delirium	
F19.922	Other psychoactive substance use, unspecified with intoxication with perceptu	
F19.929	Other psychoactive substance use, unspecified with intoxication, unspecified	
F19.930	Other psychoactive substance use, unspecified with withdrawal, uncomplicated	
F19.931	Other psychoactive substance use, unspecified with withdrawal delirium	
F19.932	Other psychoactive substance use, unspecified with withdrawal with perceptua	
F19.939	Other psychoactive substance use, unspecified with withdrawal, unspecified	
F19.94	Other psychoactive substance use, unspecified with psychoactive substance-in	
F19.950	Oth psychoactv sub use, unsp w psych disorder w delusions	
F19.951	Oth psychoactv sub use, unsp w psych disorder w hallucin	
F19.959	Oth psychoactv substance use, unsp w psych disorder, unsp	
F19.96	Other psychoactive substance use, unspecified with psychoactive substance-in	
F19.97	Other psychoactive substance use, unspecified with psychoactive substance-in	
F19.980	Other psychoactive substance use, unspecified with psychoactive substance-in	
F19.981	Other psychoactive substance use, unspecified with psychoactive substance-in	
F19.982	Other psychoactive substance use, unspecified with psychoactive substance-in	
F19.988	Other psychoactive substance use, unspecified with other psychoactive substan	
F19.99	Other psychoactive substance use, unspecified with unspecified psychoactive s	
F20.0	Paranoid schizophrenia	
F20.1	Disorganized schizophrenia	
F20.2	Catatonic schizophrenia	

	Idaho Behavioral Health Plan	
	Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description	
F20.3	Undifferentiated schizophrenia	
F20.5	Residual schizophrenia	
F20.81	Schizophreniform disorder	
F20.89	Other schizophrenia	
F20.9	Schizophrenia, unspecified	
F21	Schizotypal disorder	
F22	Delusional disorders	
F23	Brief psychotic disorder	
F24	Shared psychotic disorder	
F25.0	Schizoaffective disorder, bipolar type	
F25.1	Schizoaffective disorder, depressive type	
F25.8	Other schizoaffective disorders	
F25.9	Schizoaffective disorder, unspecified	
F28	Oth psych disorder not due to a sub or known physiol cond	
F29	Unsp psychosis not due to a substance or known physiol cond	
F30.10	Manic episode without psychotic symptoms, unspecified	
F30.11	Manic episode without psychotic symptoms, mild	
F30.12	Manic episode without psychotic symptoms, moderate	
F30.13	Manic episode, severe, without psychotic symptoms	
F30.2	Manic episode, severe with psychotic symptoms	
F30.3	Manic episode in partial remission	
F30.4	Manic episode in full remission	
F30.8	Other manic episodes	
F30.9	Manic episode, unspecified	
F31.0	Bipolar disorder, current episode hypomanic	
F31.10	Bipolar disord, crnt episode manic w/o psych features, unsp	

	Idaho Behavioral Health Plan	
Diagnosis Codes Covered by Magellan Healthcare, Inc.		
ICD Code	Description	
F31.11	Bipolar disord, crnt episode manic w/o psych features, mild	
F31.12	Bipolar disord, crnt episode manic w/o psych features, mod	
F31.13	Bipolar disord, crnt epsd manic w/o psych features, severe	
F31.2	Bipolar disord, crnt episode manic severe w psych features	
F31.30	Bipolar disord, crnt epsd depress, mild or mod severt, unsp	
F31.31	Bipolar disorder, current episode depressed, mild	
F31.32	Bipolar disorder, current episode depressed, moderate	
F31.4	Bipolar disord, crnt epsd depress, sev, w/o psych features	
F31.5	Bipolar disord, crnt epsd depress, severe, w psych features	
F31.60	Bipolar disorder, current episode mixed, unspecified	
F31.61	Bipolar disorder, current episode mixed, mild	
F31.62	Bipolar disorder, current episode mixed, moderate	
F31.63	Bipolar disord, crnt epsd mixed, severe, w/o psych features	
F31.64	Bipolar disord, crnt episode mixed, severe, w psych features	
F31.70	Bipolar disord, currently in remis, most recent episode unsp	
F31.71	Bipolar disord, in partial remis, most recent epsd hypomanic	
F31.72	Bipolar disord, in full remis, most recent episode hypomanic	
F31.73	Bipolar disord, in partial remis, most recent episode manic	
F31.74	Bipolar disorder, in full remis, most recent episode manic	
F31.75	Bipolar disord, in partial remis, most recent epsd depress	
F31.76	Bipolar disorder, in full remis, most recent episode depress	
F31.77	Bipolar disord, in partial remis, most recent episode mixed	
F31.78	Bipolar disorder, in full remis, most recent episode mixed	
F31.81	Bipolar II disorder	
F31.89	Other bipolar disorder	
F31.9	Bipolar disorder, unspecified	

Idaho Behavioral Health Plan		
	Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description	
F32.0	Major depressive disorder, single episode, mild	
F32.1	Major depressive disorder, single episode, moderate	
F32.2	Major depressv disord, single epsd, sev w/o psych features	
F32.3	Major depressv disord, single epsd, severe w psych features	
F32.4	Major depressv disorder, single episode, in partial remis	
F32.5	Major depressive disorder, single episode, in full remission	
F32.81	Premenstrual dysphoric disorder	
F32.89	Other specified depressive episodes	
F32.9	Major depressive disorder, single episode, unspecified	
F32.A	Depression, unspecified	
F33.0	Major depressive disorder, recurrent, mild	
F33.1	Major depressive disorder, recurrent, moderate	
F33.2	Major depressv disorder, recurrent severe w/o psych features	
F33.3	Major depressv disorder, recurrent, severe w psych symptoms	
F33.40	Major depressive disorder, recurrent, in remission, unsp	
F33.41	Major depressive disorder, recurrent, in partial remission	
F33.42	Major depressive disorder, recurrent, in full remission	
F33.8	Other recurrent depressive disorders	
F33.9	Major depressive disorder, recurrent, unspecified	
F34.0	Cyclothymic disorder	
F34.1	Dysthymic disorder	
F34.81	Disruptive mood dysregulation disorder	
F34.89	Other specified persistent mood disorders	
F34.9	Persistent mood [affective] disorder, unspecified	
F39	Unspecified mood [affective] disorder	
F40.00	Agoraphobia, unspecified	

Idaho Behavioral Health Plan Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD	
Code	Description
F40.01	Agoraphobia with panic disorder
F40.02	Agoraphobia without panic disorder
F40.10	Social phobia, unspecified
F40.11	Social phobia, generalized
F40.210	Arachnophobia
F40.218	Other animal type phobia
F40.220	Fear of thunderstorms
F40.228	Other natural environment type phobia
F40.230	Fear of blood
F40.231	Fear of injections and transfusions
F40.232	Fear of other medical care
F40.233	Fear of injury
F40.240	Claustrophobia
F40.241	Acrophobia
F40.242	Fear of bridges
F40.243	Fear of flying
F40.248	Other situational type phobia
F40.290	Androphobia
F40.291	Gynephobia
F40.298	Other specified phobia
F40.8	Other phobic anxiety disorders
F40.9	Phobic anxiety disorder, unspecified
F41.0	Panic disorder [episodic paroxysmal anxiety]
F41.1	Generalized anxiety disorder
F41.3	Other mixed anxiety disorders
F41.8	Other specified anxiety disorders

Idaho Behavioral Health Plan	
	Diagnosis Codes Covered by Magellan Healthcare, Inc.
ICD Code	Description
F41.9	Anxiety disorder, unspecified
F42.2	Mixed obsessional thoughts and acts
F42.3	Hoarding disorder
F42.4	Excoriation (skin-picking) disorder
F42.8	Other obsessive-compulsive disorder
F42.9	Obsessive-compulsive disorder, unspecified
F43.0	Acute stress reaction
F43.10	Post-traumatic stress disorder, unspecified
F43.11	Post-traumatic stress disorder, acute
F43.12	Post-traumatic stress disorder, chronic
F43.20	Adjustment disorder, unspecified
F43.21	Adjustment disorder with depressed mood
F43.22	Adjustment disorder with anxiety
F43.23	Adjustment disorder with mixed anxiety and depressed mood
F43.24	Adjustment disorder with disturbance of conduct
F43.25	Adjustment disorder with mixed disturbance of emotions and conduct
F43.29	Adjustment disorder with other symptoms
F43.8	Other reactions to severe stress
F43.81	Prolonged grief disorder
F43.89	Other reactions to severe stress
F43.9	Reaction to severe stress, unspecified
F44.0	Dissociative amnesia
F44.1	Dissociative fugue
F44.2	Dissociative stupor
F44.4	Conversion disorder with motor symptom or deficit

Idaho Behavioral Health Plan	
	Diagnosis Codes Covered by Magellan Healthcare, Inc.
ICD Code	Description
F44.5	Conversion disorder with seizures or convulsions
F44.6	Conversion disorder with sensory symptom or deficit
F44.7	Conversion disorder with mixed symptom presentation
F44.81	Dissociative identity disorder
F44.89	Other dissociative and conversion disorders
F44.9	Dissociative and conversion disorder, unspecified
F45.0	Somatization disorder
F45.1	Undifferentiated somatoform disorder
F45.20	Hypochondriacal disorder, unspecified
F45.21	Hypochondriasis
F45.22	Body dysmorphic disorder
F45.29	Other hypochondriacal disorders
F45.41	Pain disorder exclusively related to psychological factors
F45.42	Pain disorder with related psychological factors
F45.8	Other somatoform disorders
F45.9	Somatoform disorder, unspecified
F48.1	Depersonalization-derealization syndrome
F48.2	Pseudobulbar affect
F48.8	Other specified nonpsychotic mental disorders
F48.9	Nonpsychotic mental disorder, unspecified
F50.00	Anorexia nervosa, unspecified
F50.01	Anorexia nervosa, restricting type
F50.02	Anorexia nervosa, binge eating/purging type
F50.2	Bulimia nervosa
F50.81	Binge eating disorder
F50.82	Avoidant/restrictive food intake disorder

Idaho Behavioral Health Plan		
	Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description	
F50.89	Other specified eating disorder	
F50.9	Eating disorder, unspecified	
F51.01	Primary insomnia	
F51.02	Adjustment insomnia	
F51.03	Paradoxical insomnia	
F51.04	Psychophysiologic insomnia	
F51.05	Insomnia due to other mental disorder	
F51.09	Oth insomnia not due to a substance or known physiol cond	
F51.11	Primary hypersomnia	
F51.12	Insufficient sleep syndrome	
F51.13	Hypersomnia due to other mental disorder	
F51.19	Oth hypersomnia not due to a substance or known physiol cond	
F51.3	Sleepwalking [somnambulism]	
F51.4	Sleep terrors [night terrors]	
F51.5	Nightmare disorder	
F51.8	Oth sleep disord not due to a sub or known physiol cond	
F51.9	Sleep disorder not due to a sub or known physiol cond, unsp	
F52.0	Hypoactive sexual desire disorder	
F52.1	Sexual aversion disorder	
F52.21	Male erectile disorder	
F52.22	Female sexual arousal disorder	
F52.31	Female orgasmic disorder	
F52.32	Male orgasmic disorder	
F52.4	Premature ejaculation	
F52.5	Vaginismus not due to a substance or known physiological condition	
F52.6	Dyspareunia not due to a substance or known physiological condition	

Idaho Behavioral Health Plan Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description
F52.8	Other sexual dysfunction not due to a substance or known physiological condit
F52.9	Unspecified sexual dysfunction not due to a substance or known physiological c
F53.0	Postpartum depression
F53.1	Puerperal psychosis
F54	Psychological and behavioral factors associated with disorders or diseases class
F55.0	Abuse of antacids
F55.1	Abuse of herbal or folk remedies
F55.2	Abuse of laxatives
F55.3	Abuse of steroids or hormones
F55.4	Abuse of vitamins
F55.8	Abuse of other non-psychoactive substances
F59	Unspecified behavioral syndromes associated with physiological disturbances a
F60.0	Paranoid personality disorder
F60.1	Schizoid personality disorder
F60.2	Antisocial personality disorder
F60.3	Borderline personality disorder
F60.4	Histrionic personality disorder
F60.5	Obsessive-compulsive personality disorder
F60.6	Avoidant personality disorder
F60.7	Dependent personality disorder
F60.81	Narcissistic personality disorder
F60.89	Other specific personality disorders
F60.9	Personality disorder, unspecified
F63.0	Pathological gambling
F63.1	Pyromania
F63.2	Kleptomania

Idaho Behavioral Health Plan		
	Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description	
F63.3	Trichotillomania	
F63.81	Intermittent explosive disorder	
F63.89	Other impulse disorders	
F63.9	Impulse disorder, unspecified	
F64.0	Transsexualism	
F64.1	Dual role transvestism	
F64.2	Gender identity disorder of childhood	
F64.8	Other gender identity disorders	
F64.9	Gender identity disorder, unspecified	
F65.0	Fetishism	
F65.1	Transvestic fetishism	
F65.2	Exhibitionism	
F65.3	Voyeurism	
F65.4	Pedophilia	
F65.50	Sadomasochism, unspecified	
F65.51	Sexual masochism	
F65.52	Sexual sadism	
F65.81	Frotteurism	
F65.89	Other paraphilias	
F65.9	Paraphilia, unspecified	
F66	Other sexual disorders	
F68.10	Factitious disorder imposed on self, unspecified	
F68.11	Factitious disorder imposed on self, with predominantly psychological signs and	
F68.12	Factitious disorder imposed on self, with predominantly physical signs and sym	
F68.13	Factitious disorder imposed on self, with combined psychological and physical s	
F68.8	Other specified disorders of adult personality and behavior	

Idaho Behavioral Health Plan Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description
F68.A	Factitious disorder imposed on another
F69	Unspecified disorder of adult personality and behavior
F70	Mild intellectual disabilities
F71	Moderate intellectual disabilities
F72	Severe intellectual disabilities
F73	Profound intellectual disabilities
F78	Other intellectual disabilities
F79	Unspecified intellectual disabilities
F80.0	Phonological disorder
F80.1	Expressive language disorder
F80.2	Mixed receptive-expressive language disorder
F80.4	Speech and language development delay due to hearing loss
F80.81	Childhood onset fluency disorder
F80.82	Social pragmatic communication disorder
F80.89	Other developmental disorders of speech and language
F80.9	Developmental disorder of speech and language, unspecified
F81.0	Specific reading disorder
F81.2	Mathematics disorder
F81.81	Disorder of written expression
F81.89	Other developmental disorders of scholastic skills
F81.9	Developmental disorder of scholastic skills, unspecified
F82	Specific developmental disorder of motor function
F84.0	Autistic disorder
F84.2	Rett's syndrome
F84.3	Other childhood disintegrative disorder
F84.5	Asperger's syndrome

Idaho Behavioral Health Plan Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description
F84.8	Other pervasive developmental disorders
F84.9	Pervasive developmental disorder, unspecified
F88	Other disorders of psychological development
F89	Unspecified disorder of psychological development
F90.0	Attention-deficit hyperactivity disorder, predominantly inattentive type
F90.1	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F90.2	Attention-deficit hyperactivity disorder, combined type
F90.8	Attention-deficit hyperactivity disorder, other type
F90.9	Attention-deficit hyperactivity disorder, unspecified type
F91.0	Conduct disorder confined to family context
F91.1	Conduct disorder, childhood-onset type
F91.2	Conduct disorder, adolescent-onset type
F91.3	Oppositional defiant disorder
F91.8	Other conduct disorders
F91.9	Conduct disorder, unspecified
F93.0	Separation anxiety disorder of childhood
F93.8	Other childhood emotional disorders
F93.9	Childhood emotional disorder, unspecified
F94.0	Selective mutism
F94.1	Reactive attachment disorder of childhood
F94.2	Disinhibited attachment disorder of childhood
F94.8	Other childhood disorders of social functioning
F94.9	Childhood disorder of social functioning, unspecified
F95.0	Transient tic disorder
F95.1	Chronic motor or vocal tic disorder
F95.2	Tourette's disorder

Diagnosis Codes Covered by Magellan Healthcare, Inc. ICD Code Description F95.8 Other tic disorders F95.9 Tic disorder, unspecified F98.0 Enuresis not due to a substance or known physiological condition F98.1 Encopresis not due to a substance or known physiological condition F98.21 Rumination disorder of infancy F98.29 Other feeding disorders of infancy and early childhood F98.3 Pica of infancy and childhood F98.4 Stereotyped movement disorders F98.5 Adult onset fluency disorder F98.4 Stereotyped movement disorders with onset usually occurrin F98.5 Adult onset fluency disorder F98.4 Stereotyped movement disorders with onset usually occurrin F98.9 Unspecified behavioral and emotional disorders with onset usually occurrin F98.9 Unspecified behavioral and emotional disorders with onset usually occurrin F98.9 Mental disorder, not otherwise specified 644.200 Tension-type headache, unspecified trimester 099.310 Alcohol use complicating pregnancy, first trimester 099.311 Alcohol use complicating pregnancy, u		Idaho Behavioral Health Plan
CodeDescriptionF95.8Other tic disordersF95.9Tic disorder, unspecifiedF98.0Enuresis not due to a substance or known physiological conditionF98.1Encopresis not due to a substance or known physiological conditionF98.21Rumination disorder of infancyF98.29Other feeding disorders of infancy and early childhoodF98.3Pica of infancy and childhoodF98.4Stereetyped movement disordersF98.5Adult onset fluency disorderF98.8Other specified behavioral and emotional disorders with onset usually occurrinF98.9Unspecified behavioral and emotional disorders with onset usually occurring inF98.9Mental disorder, not otherwise specified644.209Tension-type headache, unspecified, not intractable090.6Postpartum mood disurbance099.310Alcohol use complicating pregnancy, directer099.311Alcohol use complicating pregnancy, second trimester093.312Alcohol use complicating pregnancy, second trimester093.313Alcohol use complicating pregnancy, unspecified trimester093.314Alcohol use complicating pregnancy, unspecified trimester093.320Drug use complicating pregnancy, unspecified trimester093.321Drug use complicating pregnancy, unspecified trimester093.322Drug use complicating pregnancy, second trimester093.323Drug use complicating pregnancy, second trimester093.324Drug use complicating pregnancy, second trimester093.325Drug use complicating pregnancy, second trime		Diagnosis Codes Covered by Magellan Healthcare, Inc.
F95.9Tic disorder, unspecifiedF98.0Enuresis not due to a substance or known physiological conditionF98.1Encopresis not due to a substance or known physiological conditionF98.1Rumination disorder of infancyF98.29Other feeding disorders of infancy and early childhoodF98.3Pica of infancy and childhoodF98.4Stereotyped movement disordersF98.5Adult onset fluency disorderF98.8Other specified behavioral and emotional disorders with onset usually occurrinF98.9Unspecified behavioral and emotional disorders with onset usually occurring inF99Mental disorder, not otherwise specified644.209Tension-type headache, unspecified, not intractableO90.6Postpartum mood disturbanceO99.310Alcohol use complicating pregnancy, unspecified trimesterO99.312Alcohol use complicating pregnancy, second trimesterO99.313Alcohol use complicating pregnancy, wird trimesterO99.314Alcohol use complicating pregnancy, first trimesterO99.315Alcohol use complicating pregnancy, second trimesterO99.316Drug use complicating pregnancy, first trimesterO99.321Drug use complicating pregnancy, first trimesterO99.322Drug use complicating pregnancy, first trimesterO99.322Drug use complicating pregnancy, kecond trimesterO99.322Drug use complicating pregnancy, kecond trimesterO99.322Drug use complicating pregnancy, kecond trimesterO99.323Drug use complicating pregnancy, third trimesterO99.		Description
F98.0Enuresis not due to a substance or known physiological conditionF98.1Encopresis not due to a substance or known physiological conditionF98.21Rumination disorder of infancyF98.29Other feeding disorders of infancy and early childhoodF98.3Pica of infancy and childhoodF98.4Stereotyped movement disordersF98.5Adult onset fluency disorderF98.8Other specified behavioral and emotional disorders with onset usually occurrinF98.9Unspecified behavioral and emotional disorders with onset usually occurring inF98.9Unspecified behavioral and emotional disorders with onset usually occurring inF98.9Mental disorder, not otherwise specified644.209Tension-type headache, unspecified, not intractable090.6Postpartum mood disturbance099.310Alcohol use complicating pregnancy, dirse trimester099.311Alcohol use complicating pregnancy, second trimester099.312Alcohol use complicating pregnancy, hird trimester099.313Alcohol use complicating pregnancy, unspecified trimester099.314Alcohol use complicating pregnancy, unspecified trimester099.315Alcohol use complicating pregnancy, unspecified trimester099.312Drug use complicating pregnancy, unspecified trimester099.313Alcohol use complicating pregnancy, third trimester099.314Alcohol use complicating pregnancy, unspecified trimester099.322Drug use complicating pregnancy, unspecified trimester099.322Drug use complicating pregnancy, second trimester <t< td=""><td>F95.8</td><td>Other tic disorders</td></t<>	F95.8	Other tic disorders
F98.1Encopresis not due to a substance or known physiological conditionF98.21Rumination disorder of infancyF98.29Other feeding disorders of infancy and early childhoodF98.39Pica of infancy and childhoodF98.4Stereotyped movement disordersF98.5Adult onset fluency disorderF98.8Other specified behavioral and emotional disorders with onset usually occurrinF98.9Unspecified behavioral and emotional disorders with onset usually occurring inF98.9Mental disorder, not otherwise specifiedG44.209Tension-type headache, unspecified, not intractableO90.6Postpartum mood disturbanceO99.310Alcohol use complicating pregnancy, first trimesterO99.311Alcohol use complicating pregnancy, third trimesterO99.312Alcohol use complicating pregnancy, unspecified trimesterO99.313Alcohol use complicating pregnancy, third trimesterO99.314Alcohol use complicating pregnancy, first trimesterO99.320Drug use complicating pregnancy, unspecified trimesterO99.321Drug use complicating pregnancy, unspecified trimesterO99.322Drug use complicating pregnancy, third trimesterO99.332Drug use complicating pregnancy, unspecified trimesterO99.332Drug use complicating pregnancy, third trimesterO99.332Drug use complicating pregnancy, third trimesterO99.332Drug use complicating pregnancy, third trimesterO99.333Drug use complicating pregnancy, third trimesterO99.334Drug use complicating pregnancy, third tr	F95.9	Tic disorder, unspecified
F98.21Rumination disorder of infancyF98.29Other feeding disorders of infancy and early childhoodF98.3Pica of infancy and childhoodF98.4Stereotyped movement disordersF98.5Adult onset fluency disorderF98.8Other specified behavioral and emotional disorders with onset usually occurrinF98.9Unspecified behavioral and emotional disorders with onset usually occurring inF99Mental disorder, not otherwise specifiedG44.209Tension-type headache, unspecified, not intractableO90.6Postpartum mood disturbanceO99.310Alcohol use complicating pregnancy, first trimesterO99.311Alcohol use complicating pregnancy, second trimesterO99.312Alcohol use complicating pregnancy, unspecified trimesterO99.313Alcohol use complicating pregnancy, unspecified trimesterO99.314Alcohol use complicating pregnancy, second trimesterO99.320Drug use complicating pregnancy, unspecified trimesterO99.321Drug use complicating pregnancy, second trimesterO99.322Drug use complicating pregnancy, kecond trimesterO99.323Drug use complicating pregnancy, second trimesterO99.323Drug use complicating pregnancy, second trimesterO99.323Drug use complicating pregnancy, second trimesterO99.324Drug use complicating pregnancy, third trimesterO99.324Drug use complicating pregnancy, third trimesterO99.324Drug use complicating childbirth	F98.0	Enuresis not due to a substance or known physiological condition
F98.29Other feeding disorders of infancy and early childhoodF98.3Pica of infancy and childhoodF98.4Stereotyped movement disordersF98.5Adult onset fluency disorderF98.8Other specified behavioral and emotional disorders with onset usually occurrinF98.9Unspecified behavioral and emotional disorders with onset usually occurring inF98.9Wental disorder, not otherwise specifiedG44.209Tension-type headache, unspecified, not intractableO90.6Postpartum mood disturbanceO99.310Alcohol use complicating pregnancy, unspecified trimesterO99.311Alcohol use complicating pregnancy, second trimesterO99.312Alcohol use complicating pregnancy, third trimesterO99.313Alcohol use complicating pregnancy, unspecified trimesterO99.314Alcohol use complicating pregnancy, unspecified trimesterO99.320Drug use complicating pregnancy, unspecified trimesterO99.321Durg use complicating pregnancy, unspecified trimesterO99.322Drug use complicating pregnancy, unspecified trimesterO99.323Durg use complicating pregnancy, unspecified trimesterO99.324Drug use complicating pregnancy, unspecified trimesterO99.323Drug use complicating pregnancy, second trimesterO99.323Drug use complicating pregnancy, second trimesterO99.324Drug use complicating pregnancy, third trimesterO99.324Drug use complicating pregnancy, third trimester	F98.1	Encopresis not due to a substance or known physiological condition
F98.3Pica of infancy and childhoodF98.4Stereotyped movement disordersF98.5Adult onset fluency disorderF98.8Other specified behavioral and emotional disorders with onset usually occurrinF98.9Unspecified behavioral and emotional disorders with onset usually occurring inF99Mental disorder, not otherwise specifiedG44.209Tension-type headache, unspecified, not intractableO90.6Postpartum mood disturbanceO99.310Alcohol use complicating pregnancy, unspecified trimesterO99.311Alcohol use complicating pregnancy, first trimesterO99.312Alcohol use complicating pregnancy, third trimesterO99.313Alcohol use complicating the puerperiumO99.314Alcohol use complicating the puerperiumO99.320Drug use complicating pregnancy, first trimesterO99.321Drug use complicating pregnancy, first trimesterO99.322Drug use complicating pregnancy, first trimesterO99.323Drug use complicating pregnancy, kird trimesterO99.324Drug use complicating pregnancy, kird trimesterO99.324Drug use complicating pregnancy, third trimester	F98.21	Rumination disorder of infancy
F98.4Stereotyped movement disordersF98.5Adult onset fluency disorderF98.8Other specified behavioral and emotional disorders with onset usually occurrinF98.9Unspecified behavioral and emotional disorders with onset usually occurring inF99Mental disorder, not otherwise specifiedG44.209Tension-type headache, unspecified, not intractableO90.6Postpartum mood disturbanceO99.310Alcohol use complicating pregnancy, unspecified trimesterO99.311Alcohol use complicating pregnancy, first trimesterO99.312Alcohol use complicating pregnancy, second trimesterO99.313Alcohol use complicating the puerperiumO99.314Alcohol use complicating the puerperiumO99.320Drug use complicating pregnancy, unspecified trimesterO99.321Drug use complicating pregnancy, third trimesterO99.322Drug use complicating pregnancy, unspecified trimesterO99.323Drug use complicating pregnancy, first trimesterO99.324Drug use complicating pregnancy, first trimesterO99.324Drug use complicating pregnancy, third trimester	F98.29	Other feeding disorders of infancy and early childhood
F98.5Adult onset fluency disorderF98.8Other specified behavioral and emotional disorders with onset usually occurrinF98.9Unspecified behavioral and emotional disorders with onset usually occurring inF99Mental disorder, not otherwise specifiedG44.209Tension-type headache, unspecified, not intractableO90.6Postpartum mood disturbanceO99.310Alcohol use complicating pregnancy, unspecified trimesterO99.311Alcohol use complicating pregnancy, first trimesterO99.312Alcohol use complicating pregnancy, second trimesterO99.313Alcohol use complicating pregnancy, third trimesterO99.314Alcohol use complicating the puerperiumO99.320Drug use complicating pregnancy, unspecified trimesterO99.321Drug use complicating pregnancy, unspecified trimesterO99.322Drug use complicating pregnancy, third trimesterO99.323Drug use complicating pregnancy, third trimesterO99.324Drug use complicating pregnancy, first trimesterO99.324Drug use complicating pregnancy, third trimester	F98.3	Pica of infancy and childhood
F98.8Other specified behavioral and emotional disorders with onset usually occurrinF98.9Unspecified behavioral and emotional disorders with onset usually occurring inF99Mental disorder, not otherwise specifiedG44.209Tension-type headache, unspecified, not intractableO90.6Postpartum mood disturbanceO99.310Alcohol use complicating pregnancy, unspecified trimesterO99.311Alcohol use complicating pregnancy, first trimesterO99.312Alcohol use complicating pregnancy, second trimesterO99.313Alcohol use complicating pregnancy, third trimesterO99.314Alcohol use complicating the puerperiumO99.315Alcohol use complicating the puerperiumO99.320Drug use complicating pregnancy, first trimesterO99.321Drug use complicating pregnancy, unspecified trimesterO99.322Drug use complicating pregnancy, unspecified trimesterO99.324Drug use complicating pregnancy, unspecified trimesterO99.324Drug use complicating pregnancy, third trimesterO99.324Drug use complicating pregnancy, third trimester	F98.4	Stereotyped movement disorders
F98.9Unspecified behavioral and emotional disorders with onset usually occurring inF99Mental disorder, not otherwise specifiedG44.209Tension-type headache, unspecified, not intractableO90.6Postpartum mood disturbanceO99.310Alcohol use complicating pregnancy, unspecified trimesterO99.311Alcohol use complicating pregnancy, first trimesterO99.312Alcohol use complicating pregnancy, second trimesterO99.313Alcohol use complicating pregnancy, third trimesterO99.314Alcohol use complicating pregnancy, unspecified trimesterO99.315Alcohol use complicating pregnancy, third trimesterO99.316Openating pregnancy, third trimesterO99.317Alcohol use complicating pregnancy, unspecified trimesterO99.318Alcohol use complicating pregnancy, third trimesterO99.320Drug use complicating pregnancy, unspecified trimesterO99.321Drug use complicating pregnancy, first trimesterO99.322Drug use complicating pregnancy, first trimesterO99.323Drug use complicating pregnancy, second trimesterO99.324Drug use complicating pregnancy, third trimesterO99.324Drug use complicating pregnancy, third trimesterO99.324Drug use complicating childbirth	F98.5	Adult onset fluency disorder
F99Mental disorder, not otherwise specifiedG44.209Tension-type headache, unspecified, not intractableO90.6Postpartum mood disturbanceO99.310Alcohol use complicating pregnancy, unspecified trimesterO99.311Alcohol use complicating pregnancy, first trimesterO99.312Alcohol use complicating pregnancy, second trimesterO99.313Alcohol use complicating pregnancy, third trimesterO99.314Alcohol use complicating pregnancy, third trimesterO99.315Alcohol use complicating the puerperiumO99.320Drug use complicating pregnancy, first trimesterO99.321Drug use complicating pregnancy, second trimesterO99.322Drug use complicating pregnancy, unspecified trimesterO99.323Drug use complicating pregnancy, third trimesterO99.324Drug use complicating pregnancy, second trimesterO99.324Drug use complicating pregnancy, third trimesterO99.324Drug use complicating pregnancy, third trimesterO99.324Drug use complicating childbirth	F98.8	Other specified behavioral and emotional disorders with onset usually occurrin
G44.209Tension-type headache, unspecified, not intractableO90.6Postpartum mood disturbanceO99.310Alcohol use complicating pregnancy, unspecified trimesterO99.311Alcohol use complicating pregnancy, first trimesterO99.312Alcohol use complicating pregnancy, second trimesterO99.313Alcohol use complicating pregnancy, third trimesterO99.314Alcohol use complicating pregnancy, third trimesterO99.315Alcohol use complicating the puerperiumO99.320Drug use complicating pregnancy, unspecified trimesterO99.321Drug use complicating pregnancy, first trimesterO99.322Drug use complicating pregnancy, third trimesterO99.323Drug use complicating pregnancy, third trimesterO99.324Drug use complicating pregnancy, third trimesterO99.324Drug use complicating pregnancy, second trimesterO99.324Drug use complicating pregnancy, third trimester	F98.9	Unspecified behavioral and emotional disorders with onset usually occurring in
O90.6Postpartum mood disturbanceO99.310Alcohol use complicating pregnancy, unspecified trimesterO99.311Alcohol use complicating pregnancy, first trimesterO99.312Alcohol use complicating pregnancy, second trimesterO99.313Alcohol use complicating pregnancy, third trimesterO99.314Alcohol use complicating pregnancy, third trimesterO99.315Alcohol use complicating the puerperiumO99.320Drug use complicating pregnancy, unspecified trimesterO99.321Drug use complicating pregnancy, second trimesterO99.322Drug use complicating pregnancy, third trimesterO99.323Drug use complicating pregnancy, second trimesterO99.324Drug use complicating pregnancy, second trimesterO99.324Drug use complicating pregnancy, third trimesterO99.324Drug use complicating pregnancy, third trimesterO99.324Drug use complicating pregnancy, third trimesterO99.324Drug use complicating childbirth	F99	Mental disorder, not otherwise specified
O99.310Alcohol use complicating pregnancy, unspecified trimester099.311Alcohol use complicating pregnancy, first trimester099.312Alcohol use complicating pregnancy, second trimester099.313Alcohol use complicating pregnancy, third trimester099.314Alcohol use complicating the puerperium099.320Drug use complicating pregnancy, unspecified trimester099.321Drug use complicating pregnancy, first trimester099.322Drug use complicating pregnancy, third trimester099.323Drug use complicating pregnancy, first trimester099.324Drug use complicating pregnancy, second trimester099.324Drug use complicating pregnancy, third trimester099.324Drug use complicating pregnancy, third trimester	G44.209	Tension-type headache, unspecified, not intractable
O99.311Alcohol use complicating pregnancy, first trimesterO99.312Alcohol use complicating pregnancy, second trimesterO99.313Alcohol use complicating pregnancy, third trimesterO99.314Alcohol use complicating childbirthO99.315Alcohol use complicating the puerperiumO99.320Drug use complicating pregnancy, first trimesterO99.321Drug use complicating pregnancy, first trimesterO99.322Drug use complicating pregnancy, first trimesterO99.323Drug use complicating pregnancy, second trimesterO99.324Drug use complicating pregnancy, third trimesterO99.324Drug use complicating childbirth	O90.6	Postpartum mood disturbance
O99.312Alcohol use complicating pregnancy, second trimesterO99.313Alcohol use complicating pregnancy, third trimesterO99.314Alcohol use complicating childbirthO99.315Alcohol use complicating the puerperiumO99.320Drug use complicating pregnancy, unspecified trimesterO99.321Drug use complicating pregnancy, first trimesterO99.322Drug use complicating pregnancy, second trimesterO99.323Drug use complicating pregnancy, third trimesterO99.324Drug use complicating pregnancy, third trimesterO99.324Drug use complicating pregnancy, third trimester	099.310	Alcohol use complicating pregnancy, unspecified trimester
O99.313Alcohol use complicating pregnancy, third trimesterO99.314Alcohol use complicating childbirthO99.315Alcohol use complicating the puerperiumO99.320Drug use complicating pregnancy, unspecified trimesterO99.321Drug use complicating pregnancy, first trimesterO99.322Drug use complicating pregnancy, second trimesterO99.323Drug use complicating pregnancy, third trimesterO99.324Drug use complicating pregnancy, third trimester	099.311	Alcohol use complicating pregnancy, first trimester
O99.314Alcohol use complicating childbirthO99.315Alcohol use complicating the puerperiumO99.320Drug use complicating pregnancy, unspecified trimesterO99.321Drug use complicating pregnancy, first trimesterO99.322Drug use complicating pregnancy, second trimesterO99.323Drug use complicating pregnancy, third trimesterO99.324Drug use complicating childbirth	099.312	Alcohol use complicating pregnancy, second trimester
O99.315Alcohol use complicating the puerperiumO99.320Drug use complicating pregnancy, unspecified trimesterO99.321Drug use complicating pregnancy, first trimesterO99.322Drug use complicating pregnancy, second trimesterO99.323Drug use complicating pregnancy, third trimesterO99.324Drug use complicating childbirth	099.313	Alcohol use complicating pregnancy, third trimester
O99.320 Drug use complicating pregnancy, unspecified trimester O99.321 Drug use complicating pregnancy, first trimester O99.322 Drug use complicating pregnancy, second trimester O99.323 Drug use complicating pregnancy, third trimester O99.324 Drug use complicating childbirth	099.314	Alcohol use complicating childbirth
O99.321 Drug use complicating pregnancy, first trimester O99.322 Drug use complicating pregnancy, second trimester O99.323 Drug use complicating pregnancy, third trimester O99.324 Drug use complicating childbirth	099.315	Alcohol use complicating the puerperium
O99.322 Drug use complicating pregnancy, second trimester O99.323 Drug use complicating pregnancy, third trimester O99.324 Drug use complicating childbirth	099.320	Drug use complicating pregnancy, unspecified trimester
O99.323 Drug use complicating pregnancy, third trimester O99.324 Drug use complicating childbirth	099.321	Drug use complicating pregnancy, first trimester
O99.324 Drug use complicating childbirth	099.322	Drug use complicating pregnancy, second trimester
	099.323	Drug use complicating pregnancy, third trimester
O99.325 Drug use complicating the puerperium	099.324	Drug use complicating childbirth
	099.325	Drug use complicating the puerperium

Idaho Behavioral Health Plan		
	Diagnosis Codes Covered by Magellan Healthcare, Inc.	
ICD Code	Description	
R37	Sexual dysfunction, unspecified	
R45.1	Restlessness and agitation	
R45.2	Unhappiness	
R45.5	Hostility	
R45.6	Violent behavior	
R45.7	State of emotional shock and stress, unspecified	
R45.81	Low self-esteem	
R45.82	Worries	
R45.851	Suicidal Ideations	
R46.89	Other symptoms and signs involving appearance and behavior	
T14.91XA	Suicide attempt, initial encounter	
T14.91XD	Suicide attempt, subsequent encounter	
T14.91XS	Suicide attempt, sequela	
Z53.9	Procedure and treatment not carried out, unspecified reason	
Z65.8	Other specified problems related to psychosocial circumstances	
Z87.890	Personal history of sex reassignment	